

### **Amendments to the Claims:**

*This listing of claims will replace all prior versions, and listings, of claims in the application:*

1. (currently amended) Vehicle seat comprising a seat part and a backrest which can be folded over from a traveling position in the direction of the seat part, an actuator associated with the seat part to move the seat part forward away from the backrest without uplifting a rear portion of the seat part during the folding over of the backrest.
2. (previously presented) Vehicle seat in accordance with claim 1, wherein the seat part is arranged in a pivotal manner about a horizontal axis.
3. (previously presented) Vehicle seat in accordance with claim 1, wherein the seat part is guided in at least one rail.
4. (previously presented) Vehicle seat in accordance with claim 1, wherein the seat part is inclined to the rear relative to a horizontal plane in the normal state and inclined to the front with the backrest folded over.
5. (previously presented) Vehicle seat in accordance with claim 1, wherein the seat part can be moved so far forward with the backrest folded over that the rear end of the seat part is positioned in the upper third of the folded over backrest.
6. (previously presented) Vehicle seat in accordance with claim 1, wherein a headrest arranged at the backrest is positioned approximately at the center of the seat part with the backrest fully folded over.
7. (previously presented) Vehicle seat in accordance with claim 1, wherein a belt lock and a belt tensioner are secured to the seat part and can be moved together with this.

8. (previously presented) Vehicle seat in accordance with claim 1, wherein the actuator is a spring.

9. (previously presented) Vehicle seat in accordance with claim 1, wherein the seat part is moved forward by means of pressing down of the backrest.

10. (previously presented) Vehicle seat in accordance with claim 1, wherein the seat part is locked in the traveling position and is unlocked by an unlocking device which at the same time unlocks the backrest.

11. (previously presented) Vehicle seat in accordance with claim 1, wherein the seat part is locked in the traveling position and is only unlocked by an unlocking device after a pre-determined folding over movement of the backrest.

12. (currently amended) Vehicle seat in accordance with claim 1, wherein a blocking member is provided which prevents [[the]] closing of a latching device of the seat part and a locking of the backrest when the seat part is not in its rear end position.

13. (previously presented) Vehicle seat in accordance with claim 1, wherein a latching device of the seat part has a pre-locking position, in which the seat part is locked as soon as it has reached its rear end position, and a second end-locking position, which is set when the backrest is in its traveling position.

14. (previously presented) A Vehicle seat comprising a seat part and a backrest which can be folded over from a traveling position in the direction of the seat part, wherein the seat part can be moved forward away from a pivot point of the backrest during the folding over of the backrest and wherein a cable run is provided between the seat part and the backrest in order to move the seat part into its rear end position during the folding back of the backrest.

15. (previously presented) Vehicle seat in accordance with claim 1, wherein a cable run is provided between the seat part and the backrest in order to move the seat part into its rear end position during the folding back of the backrest and wherein the cable run is slack both in the traveling position and also in the folded over position.

16. (previously presented) Vehicle seat in accordance with claim 1, wherein a part of a cable run is guided between the seat part and the backrest via a cam which is made such that the cable run is slack in a starting position and a transport position and taut in transport positions.

17. (previously presented) Vehicle seat in accordance with claim 1, wherein the seat part is automatically moved forward and backward by an adjusting mechanism when the backrest is folded over.

18. (previously presented) Vehicle seat arrangement for the back of a vehicle, with two vehicle seats being provided in accordance with claim 1, between which a further vehicle seat is arranged, the seat part of which is not movable relative to its foldable backrest.

19. (previously presented) Vehicle seat arrangement in accordance with claim 18, wherein the backrest of the further seat has an integrated headrest.

20. (currently amended) Vehicle seat arrangement in accordance with claim 18, wherein the backrest of the further seat has an integrated backrest and constantly narrows in the direction of ~~[[the]]~~ a headrest starting from the associated seat part.

21. (currently amended) Vehicle seat arrangement in accordance with claim ~~[[17]]~~ 18, wherein the rear side of the backrest of the further seat is arranged substantially

horizontally in the folded over state and wherein reception recesses are integrated into this rear side.

22. (previously presented) Vehicle seat arrangement in accordance with claim 18, wherein the seat parts of all seats form a bench seat.

23. (previously presented) Vehicle comprising at least one vehicle seat in accordance with claim 1.